

## Unit check 5

### 1. 听写

1.1 CCA 982 maintain 10200m, expect descent after EPGAM

1.2 CCA 982 maintain 10200m until further advised

1.3 CCA 982 descend to 5400m cross VYK 6000m or above

1.4 CCA 101 climb to 10800m report passing 9000m

1.5 CCA 982 descend to 6000m, report passing even levels

1.6 CCA 982 descend immediately to 6000m due traffic

1.7 CCA 982 after passing VYK descend to 5400m

### 2. 翻译

2.1 爬升到并保持在 10100 米，到高度报

2.2 下降到 8900 米，过奇数层报

2.3 爬升到 10700 米，加速直到 10100 米，过 9800 米报

2.4 过 ENH 后加速下降到 9500 米

2.5 保持当前航向和高度,等待下一步指令

2.6 11300 米不可用，因为有交通冲突，11900 米可选，是否接受

### 3. 听录音完成通话

A.

P: CCA 982 request descent

C: CCA 982 \_\_\_\_\_

P: Maintaining 10200m CCA 982

B.

C: CCA 982 negative for the moment, \_\_\_\_\_

C.

P: CCA 982 request 12000m

C: CCA 982 \_\_\_\_\_

P: we accept 10800meters CCA 982

4. 朗读与角色扮演

P: HSE at 30 FL370, estimating TNH48,

C: next report LGM

P: KNE14, FL270, LRA31, NTO next

C: Omit position report 35miles NTODME

P: HZM 05 level at 330 SED27,

C: next report TGE

*P: SGN at 23 FL350, ETO UOS 42, GMJ next*

*C: Omit position report on this frequency.*